

MATERIAL SAFETY DATA SHEET - GM 3000

IDENTIFICATION

Product Code:	KCA – GM3000
Product Name:	GM3000
Proper Shipping Name:	None Allocated
Other Names:	None Listed
UN Number:	None Allocated
DG Glass:	None Allocated
Packing Group:	None Allocated
Hazchem Code:	None Allocated
Poisons Schedule:	Not Scheduled
Product Use:	Surface Coatings

PHYSICAL DATA

Appearance:	White liquid with faint aromatic odour
Melting point:	Not available
Boiling Point:	Not available
Vapour Pressure:	Approximately 23 hPA
Specific gravity:	Not available
Flash Point:	Not applicable
Flamm Limit LEL:	Not applicable
Flamm Limit UEL:	Not applicable
Solubility in Water:	Completely miscible

OTHER PROPERTIES

PH Value:	9 – 11
Stability:	Stable
Haz Polymerisation:	Will not occur
Materials to Avoid:	Strong acids and oxidizing agents

INGREDIENTS

Ingredients:	Determined not to be hazardous CAS Proportion – 100%
--------------	---

MATERIAL SAFETY DATA SHEET - GM 3000

HEALTH HAZARD INFORMATION

Health Effects

- Acute – Swallowed: Ingestion of large amounts may irritate gastric tract causing nausea and vomiting.
- Acute – Eye: Eye contact may cause stinging, blurring and tearing
- Acute – Skin: Skin contact may cause mild irritation. Chronic - prolonged or repeated skin contact may cause irritation.

First Aid

- Swallowed: DO NOT INDUCE VOMITTING. Wash out mouth with water and give plenty of water to drink. If symptoms develop seek medical attention.
- Eye: If contact with the eye(s) occurs, wash with copious amounts of water for approximately 15 minutes holding eyelid(s) open. Take care not to rinse contaminated water into not affected eye. If symptoms persist seek medical attention.
- Skin: Remove contaminated clothing and wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
- Inhaled: Remove from source of contamination or move the victim to fresh air. Ensure airways are clean and have qualified person give oxygen through a face mask if breathing is difficult. If symptoms develop seek medical attention.
- First Aid Facilities: Eye wash and normal washroom facilities.

Advice to Doctor

- Advice to Doctor: Treat symptomatically.

OTHER HEALTH HAZARD INFORMATION

Precautions for Use

- Exposure Limits: No exposure standards have been established for this material by the National Occupational Health and Safety Commission (NOHSC).
- Eng. Controls: Natural ventilation should be sufficient, however where vapours or mists are generated a local exhaust ventilation system (drawing vapours/mists away from workers breathing zone) should be used.

Personal Protection

- Respirator Type: Where sufficient ventilation is not available an approved P1 particulate filter respirator or normal dust mask should be worn. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NS 1715, Selection, Use and Maintenance of Respiratory Protective Devices.

MATERIAL SAFETY DATA SHEET - GM 3000

Eye Protection:	If possibility of eye contact exists then safety glasses with side shields or goggles should be worn as described in Australian Standard AS/ANZ 1337 – Eye Protectors for Industrial Applications.
Glove Type:	Impervious PVC or rubber gloves should be worn.
Clothing:	Suitable protective clothing should be worn e.g. cotton overalls buttoned at neck and waist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.
Work/Hygenic Practices:	Ensure a high level of personal hygiene is maintained when using this product. Always wash hands before eating, drinking, smoking or using the toilet.
Other Information:	This product may contain low levels of volatile organic compounds or ammonia which may evaporate during application and drying. Avoid inhalation of these fumes.
Fire Hazards:	This product is non-flammable. However, dried polymer will burn in a general fire.

SAFE HANDLING AND INFORMATION

Storage and Transport

Storage Precautions:	Store in a cool area to prolong storage life. Store between 5°C and 35°C. Protect from frost and direct sunlight. Keep containers closed when not in use. Do not use storage vessels or pipework made of aluminium, copper or their alloys. Bulk tanks should be regularly cleaned and sterilized.
Transport:	Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road or Rail.
Proper Shipping Name:	None Allocated.

Spills and Disposal

Spills & Leaks:	Wear full protective clothing to minimize skin and eye exposure. Place inert, noncombustible absorbent such as vermiculite, sand or dirt onto material. Collect the material and place into a suitable labelled container for subsequent disposal. If large quantities of this material enter the waterways contact the Environment Protection Authority, or your local Waste Management Authority.
Disposal:	Dispose of according to relevant local, state and federal government regulation.

MATERIAL SAFETY DATA SHEET - GM 3000

Fire/Explosion Hazard

Fire/Explosion Hazard: This product is non-flammable. However, dried polymer will burn in a general fire.

Hazardous Decomposition or B-products: Hazardous decomposition products may include carbon monoxide, carbon dioxide, oxides of nitrogen, fumes and smoke.

Fire Fighting Procedures: Fire fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water may be used to keep fire exposed containers cool.

Extinguishing Media: Use water fog, foam or dry agent.

Hazchem Code: None Allocated.

Contact Point

For specialist advice in emergencies: Australia 1800 033 777
NZ 0800 734 607

Husqvarna Construction Products make no representation as to the completeness and accuracy of the data contained in this data sheet. It is the user's obligation to evaluate and use this product safely, and to comply with all Federal, State and Local Government laws and regulations. Husqvarna Construction Products shall not be responsible for any loss, damage or injury resulting from reliance upon or failure to adhere to any recommendations or information contained herein, from abnormal use of the material, or from any hazard inherent in the nature of the material.

HUSQVARNA CONSTRUCTION PRODUCTS

Husqvarna Construction Products Asia Pacific. 25 - 31 Kinkaid Avenue, North Plympton, South Australia, 5037.
Tel: +61 (0) 8 8375 1000, Fax +61 (0) 8 8375 0990. www.husqvarnacp.com